

# Cam-Type Devices

Pass & Seymour



**Thermoplastic elastomer housing**  
is chemical- and impact-resistant.

**Non-conductive retaining screw**  
insures stability of the fully assembled product.

**Heavy-duty brass contacts** provide superior and consistent conductivity.



PS40MBBK

PS40FBBK



**Heavy-duty hex set screws** allow greater termination torque.

**Copper shim** bundles wire strands to reduce "splaying."

**Copper wire** provides superior strain relief.



***P&S Cam-Type Devices are built with top-quality materials for enhanced durability and service life, with increased insulation protection for safety.***

## Index

Devices	Page Number
Series 16 In-Line Connectors	I-2
Series 16 Panel Mounts	I-3
Series 16 Protective Caps & Adapters	I-4
Series 16 Back Covers & Accessories	I-5
Series 15 In-Line Connectors	I-6
Series 15 Panel Mounts	I-7
Series 15 Protective Caps, Adapters & Accessories	I-8

# Cam-Type Devices Series 16 In-Line Connectors

### Features

- Thermoplastic elastomer housing for outstanding impact and chemical resistance, as well as an exceptional seal for maintaining NEMA Type 3R and 4 integrity.
- Non-conductive retaining screw helps to insure no contact with live parts, along with providing stability to the fully assembled product.
- Heavy-duty brass male and female contacts provide a superior and consistent means of conductivity.
- Heavy-duty hex set screws allow greater termination torque.
- Copper wire provides quality strain relief.
- Copper shim bundles wire strands to reduce "splaying."



**NEW**



**NEW**

Catalog Number	Rating*		Cable Size	Color	3rd Party Compliance	
	A.	V.			UL	cCSAus
<b>Series 16 In-Line Connectors – Male</b>						
PS20MBBK	400	600	#2 - 2/0	Black	•	•
PS20MBW	400	600	#2 - 2/0	White	•	•
PS20MBR	400	600	#2 - 2/0	Red	•	•
PS20MBBL	400	600	#2 - 2/0	Blue	•	•
PS20MBG	400	600	#2 - 2/0	Green	•	•
PS20MBBR	400	600	#2 - 2/0	Brown	•	•
PS20MBO	400	600	#2 - 2/0	Orange	•	•
PS20MBY	400	600	#2 - 2/0	Yellow	•	•
PS40MBBK	400	600	2/0 - 4/0	Black	•	•
PS40MBW	400	600	2/0 - 4/0	White	•	•
PS40MBR	400	600	2/0 - 4/0	Red	•	•
PS40MBBL	400	600	2/0 - 4/0	Blue	•	•
PS40MBG	400	600	2/0 - 4/0	Green	•	•
PS40MBBR	400	600	2/0 - 4/0	Brown	•	•
PS40MBO	400	600	2/0 - 4/0	Orange	•	•
PS40MBY	400	600	2/0 - 4/0	Yellow	•	•
<b>Series 16 In-Line Connectors – Female</b>						
PS20FBBK	400	600	#2 - 2/0	Black	•	•
PS20FBW	400	600	#2 - 2/0	White	•	•
PS20FBR	400	600	#2 - 2/0	Red	•	•
PS20FBBL	400	600	#2 - 2/0	Blue	•	•
PS20FBG	400	600	#2 - 2/0	Green	•	•
PS20FBBR	400	600	#2 - 2/0	Brown	•	•
PS20FBO	400	600	#2 - 2/0	Orange	•	•
PS20FBY	400	600	#2 - 2/0	Yellow	•	•
PS40FBBK	400	600	2/0 - 4/0	Black	•	•
PS40FBW	400	600	2/0 - 4/0	White	•	•
PS40FBR	400	600	2/0 - 4/0	Red	•	•
PS40FBBL	400	600	2/0 - 4/0	Blue	•	•
PS40FBG	400	600	2/0 - 4/0	Green	•	•
PS40FBBR	400	600	2/0 - 4/0	Brown	•	•
PS40FBO	400	600	2/0 - 4/0	Orange	•	•
PS40FBY	400	600	2/0 - 4/0	Yellow	•	•

\*All ratings both AC/DC.

# Cam-Type Devices Series 16 Panel Mounts

Pass & Seymour



## Features

- Nylon housing provides outstanding impact and chemical resistance.
- Heavy-duty brass male and female contacts provide a superior and consistent means of conductivity.
- Heavy-duty hex set screws (available on double set screw version only) allow greater termination torque.

Catalog Number	Rating*		Cable Size	Color	3rd Party Compliance	
	A.	V.			UL	cUL
<b>NEW Series 16 Threaded Stud Panel Mounts – Male</b>						
PS40MRSBBK	400	600	#2 - 4/0	Black	•	•
PS40MRSBW	400	600	#2 - 4/0	White	•	•
PS40MRSBR	400	600	#2 - 4/0	Red	•	•
PS40MRSBBL	400	600	#2 - 4/0	Blue	•	•
PS40MRSBG	400	600	#2 - 4/0	Green	•	•
PS40MRSBBR	400	600	#2 - 4/0	Brown	•	•
PS40MRSBO	400	600	#2 - 4/0	Orange	•	•
PS40MRSBY	400	600	#2 - 4/0	Yellow	•	•
<b>NEW Series 16 Threaded Stud Panel Mounts – Female</b>						
PS40FRSBBK	400	600	#2 - 4/0	Black	•	•
PS40FRSBW	400	600	#2 - 4/0	White	•	•
PS40FRSBR	400	600	#2 - 4/0	Red	•	•
PS40FRSBBL	400	600	#2 - 4/0	Blue	•	•
PS40FRSBG	400	600	#2 - 4/0	Green	•	•
PS40FRSBBR	400	600	#2 - 4/0	Brown	•	•
PS40FRSBO	400	600	#2 - 4/0	Orange	•	•
PS40FRSBY	400	600	#2 - 4/0	Yellow	•	•
<b>NEW Series 16 Double Set Screw Panel Mounts – Male</b>						
PS40MRBBK	400	600	2/0 - 4/0	Black	•	•
PS40MRBW	400	600	2/0 - 4/0	White	•	•
PS40MRBR	400	600	2/0 - 4/0	Red	•	•
PS40MRBBL	400	600	2/0 - 4/0	Blue	•	•
PS40MRBG	400	600	2/0 - 4/0	Green	•	•
PS40MRBBR	400	600	2/0 - 4/0	Brown	•	•
PS40MRBO	400	600	2/0 - 4/0	Orange	•	•
PS40MRBY	400	600	2/0 - 4/0	Yellow	•	•
<b>NEW Series 16 Double Set Screw Panel Mounts – Female</b>						
PS40FRBBK	400	600	2/0 - 4/0	Black	•	•
PS40FRBW	400	600	2/0 - 4/0	White	•	•
PS40FRBR	400	600	2/0 - 4/0	Red	•	•
PS40FRBBL	400	600	2/0 - 4/0	Blue	•	•
PS40FRBG	400	600	2/0 - 4/0	Green	•	•
PS40FRBBR	400	600	2/0 - 4/0	Brown	•	•
PS40FRBO	400	600	2/0 - 4/0	Orange	•	•
PS40FRBY	400	600	2/0 - 4/0	Yellow	•	•



PS40MRBBK

PS40FRBBK


\*\*For threaded stud, dimension is 1.125".

\*All ratings both AC/DC.

# Cam-Type Devices Series 16 Protective Caps & Adapters



**NEW**



**NEW**

Catalog Number	Color
<b>Series 16 Protective Caps – Male</b>	
PS40MCBK	Black
PS40MCW	White
PS40MCR	Red
PS40MCBL	Blue
PS40MCG	Green
PS40MCBR	Brown
PS40MCO	Orange
PS40MCY	Yellow

Catalog Number	Color
<b>Series 16 Protective Caps – Female</b>	
PS40FCBK	Black
PS40FCW	White
PS40FCR	Red
PS40FCBL	Blue
PS40FCG	Green
PS40FCBR	Brown
PS40FCO	Orange
PS40FCY	Yellow

**NEW**

Catalog Number	Color	3rd Party Compliance
<b>Series 16 Tapping “T” Adapters</b>		
PSTTBK	Black	•
PSTTW	White	•
PSTTR	Red	•
PSTTBL	Blue	•
PSTTG	Green	•
PSTTBR	Brown	•
PSTTO	Orange	•
PSTTY	Yellow	•

**NEW**



Catalog Number	Color	3rd Party Compliance
<b>Series 16 Paralleling “T” Adapters</b>		
PSPTBK	Black	•
PSPTW	White	•
PSPTR	Red	•
PSPTBL	Blue	•
PSPTG	Green	•
PSPTBR	Brown	•
PSPTO	Orange	•
PSPTY	Yellow	•

**NEW**



**NEW**

Catalog Number	Color	3rd Party Compliance
<b>Series 16 F-M-M-M 3fer Adapters</b>		
PS3MW	White	
PS3MG	Green	
<b>Series 16 M-F-F-F 3fer Adapters</b>		
PS3FBK	Black	•
PS3FW	White	•
PS3FR	Red	•
PS3FBL	Blue	•
PS3FG	Green	•
PS3FBR	Brown	•
PS3FO	Orange	•
PS3FY	Yellow	•

**NEW**



**NEW**

Catalog Number	Color	3rd Party Compliance
<b>Series 16 Male-to-Male Coupler</b>		
PSMMBK	Black	•
PSMMW	White	•
PSMMR	Red	•
PSMML	Blue	•
PSMMG	Green	•
<b>Series 16 Female-to-Female Coupler</b>		
PSFFCBK	Black	•
PSFFCW	White	•
PSFFCR	Red	•
PSFFCBL	Blue	•
PSFFCG	Green	•

# Cam-Type Devices Series 16 Back Covers & Accessories

Pass & Seymour



**NEW**

Catalog Number	Color
<b>Series 16 Snap Back Covers – Metal Distro Panel</b>	
PS40WTCLBK	Black
PS40WTCLW	White
PS40WTCLR	Red
PS40WTCLBL	Blue
PS40WTCLG	Green
PS40WTCLBR	Brown
PS40WTCLO	Orange
PS40WTCLY	Yellow



PS40WTCLR

**NEW**


Catalog Number	Color
<b>Series 16 Snap Back Covers – Thermoplastic Distro Panel</b>	
PS40WTCSBK	Black
PS40WTCSW	White
PS40WTCSR	Red
PS40WTCSBL	Blue
PS40WTCSG	Green
PS40WTCSBR	Brown
PS40WTCSO	Orange
PS40WTCSY	Yellow

**NEW**

Catalog Number	Description
<b>Series 16 Accessories</b>	
PS430245	Series 16 Strain Relief Wire
PS430244	Copper Shim
PS520710	Series 16 Retaining Screw
PS500017PLT	Series 16 Set Screw
PS16CLM	Male Connector Extractor
PS16CLF	Female Connector Extractor
PSCLSPRESS	Come-Along Tool
PS500072	Female Reforming Tool



PS430245




PS430244



PS500017PLT



PS520710



PS16CLM



PS16CLF



PSCLSPRESS



PS500072



Restores damaged female cam-type contacts.

## Cam-Type Devices Series 15 In-Line Connectors

### Features

- Thermoplastic elastomer housing for outstanding impact and chemical resistance, as well as an exceptional seal for maintaining NEMA Type 3R and 4 integrity.
- Non-conductive retaining screw helps to insure no contact with live parts, along with providing stability to the fully assembled product.
- Heavy-duty brass male and female contacts provide a superior and consistent means of conductivity.
- Heavy-duty hex set screws allow greater termination torque.
- Copper wire provides quality strain relief.
- Copper shim bundles wire strands to reduce “splaying.”



Catalog Number	Rating		Cable Size	Color	3rd Party Compliance	
	A.	V.			UL	cCSAus
<b>Series 15 In-Line Connectors – Male</b>						
PSM2MBK	150	600	#8 – #2	Black	•	•
PSM2MW	150	600	#8 – #2	White	•	•
PSM2MR	150	600	#8 – #2	Red	•	•
PSM2MBL	150	600	#8 – #2	Blue	•	•
PSM2MG	150	600	#8 – #2	Green	•	•
<b>Series 15 In-Line Connectors – Female</b>						
PSM2FBK	150	600	#8 – #2	Black	•	•
PSM2FW	150	600	#8 – #2	White	•	•
PSM2FR	150	600	#8 – #2	Red	•	•
PSM2FBL	150	600	#8 – #2	Blue	•	•
PSM2FG	150	600	#8 – #2	Green	•	•

# Cam-Type Devices Series 15 Panel Mounts

Pass & Seymour



Features	
<ul style="list-style-type: none"> <li>Nylon housing provides outstanding impact and chemical resistance.</li> <li>Heavy-duty brass male and female contacts provide a superior and consistent means of conductivity.</li> </ul>	<ul style="list-style-type: none"> <li>Heavy-duty hex set screws (available on double set screw version only) allow greater termination torque.</li> </ul>

Catalog Number	Rating		Cable Size	Color	3rd Party Compliance	
	A.	V.			UL	cCSAus
<b>NEW Series 15 Threaded Stud Panel Mounts – Male</b>						
PSMMRSBK	150	600	#8 – #2	Black	•	•
PSMMRSW	150	600	#8 – #2	White	•	•
PSMMRSR	150	600	#8 – #2	Red	•	•
PSMMRSBL	150	600	#8 – #2	Blue	•	•
PSMMRSG	150	600	#8 – #2	Green	•	•
<b>NEW Series 15 Threaded Stud Panel Mounts – Female</b>						
PSMFRSBK	150	600	#8 – #2	Black	•	•
PSMFRSW	150	600	#8 – #2	White	•	•
PSMFRSR	150	600	#8 – #2	Red	•	•
PSMFRSBL	150	600	#8 – #2	Blue	•	•
PSMFRSG	150	600	#8 – #2	Green	•	•
<b>NEW Series 15 Double Set Screw Panel Mounts – Male</b>						
PSMMRBK	150	600	#8 – #2	Black	•	•
PSMMRW	150	600	#8 – #2	White	•	•
PSMMRR	150	600	#8 – #2	Red	•	•
PSMMRBL	150	600	#8 – #2	Blue	•	•
PSMMRG	150	600	#8 – #2	Green	•	•
<b>NEW Series 15 Double Set Screw Panel Mounts – Female</b>						
PSMFRBK	150	600	#8 – #2	Black	•	•
PSMFRW	150	600	#8 – #2	White	•	•
PSMFRR	150	600	#8 – #2	Red	•	•
PSMFRBL	150	600	#8 – #2	Blue	•	•
PSMFRG	150	600	#8 – #2	Green	•	•



\*For double set screw, dimension is 1.000".

# Cam-Type Devices Series 15 Protective Caps, Adapters & Accessories




Catalog Number	Color
<b>Series 15 Protective Caps – Male</b>	
PSMFCBK	Black
<b>Series 15 Protective Caps – Female</b>	
PSMFCBK	Black



Catalog Number	Rating	Color
<b>Series 15 Adapters – Cam Reducers</b>		
PSMADMFBK	400A M – 150A F	Black
PSMADMFW	400A M – 150A F	White
PSMADMFR	400A M – 150A F	Red
PSMADMFBK	400A M – 150A F	Blue
PSMADMFG	400A M – 150A F	Green
PSMADFMBK	400A F – 150A M	Black
PSMADFMW	400A F – 150A M	White
PSMADFMR	400A F – 150A M	Red
PSMADFMBL	400A F – 150A M	Blue
PSMADFMG	400A F – 150A M	Green



PS430246



PS430244



PS520730



PS430171

Catalog Number	Description
<b>Series 15 Accessories</b>	
PS430246	Series 15 Strain Relief Wire
PS430244	Copper Shim
PS520730	Series 15 Retaining Screw
PS430171	Series 15 Set Screw

